Abstract Submitted for the 1995 Meeting of the American Physical Society San Jose, California March 20-24 1995

Suggested Session Title:
Optical and Magnetic Properties of YBCO
Related Structures

Classification Scheme:

12g

<u>Magnetism in $(Pr_{1.5}Ce_{0.5})Sr_2Cu_2Nb_{1-x}Ta_xO_{10}^*$ -M. J.</u> MCINTYRE,² M. J. BENNAHMIAS^{1,3} T.J. GOODWIN,² C. C. HOELLWARTH², A. F. BELLO,^{1,3} C. M. BUFORD,⁴ A. KEBEDE, 4 R.N. SHELTON, 2 AND H.B. RADOUSKY, 1,2 ¹Lawrence Livermore National Laboratory, Livermore, CA 94551, USA; ²UC-Davis, Dept. of Physics, Davis, CA 95616, USA, ³UC-Davis, Dept. of Applied Science, Livermore, CA 94551, ⁴North Carolina A&T State University, Greensboro, NC 27411 -- (Pr_{1.5}Ce_{0.5})Sr₂Cu₂NbO₁₀ (PrCeSCNO) is an insulating analog to RCeSCNO (R = Nd, Sm and Eu) which have superconducting T_c 's near 28 K. The structure is similar to PrBa₂Cu₃O₇ (PrBCO), where Sr replaces Ba, the CuO chains are replaced by NbO₂ planes, and the rare earth site is replaced by a R₂O₂ fluorite structure. PrCeSCNO displays two magnetic ordering transitions, near 15 K and 50 K, which are not observed for the Nd, Sm or Eu based materials. When Ta replaces Nb, the structure remains the same, but the magnetic ordering peak at 50 K is not observed for the PrCeSCTO material. A series of intermediate samples (Pr_{1.5}Ce_{0.5})Sr₂Cu₂Nb_{1-x}Ta_xO₁₀ have been prepared, and results of the specific heat and irreversible behavior of the magnetization as the Nb/Ta ratio is varied will be presented. The origin of the 50 K magnetic ordering peak, and its disappearance with Ta addition, will be discussed. *Work at LLNL, UCD and NCA&T was supported in part by the LLNL Res. Collab. Program for Historically Black Colleges and Univ. under the

auspices of the U.S. DoE under contract no. W-7405-ENG-48. UCD was partially funded under NSF Grant DMR94-03895.